APPLIANCE GUIDE: Multi-Family Housing

Whirlpool® HOME APPLIANCES

THE INSIDE ADVANTAGE™

Whirlpool CORPORATION

SUSTAINABLE™

Amana®

Putting the power of our team to work for you.

The Inside Advantage™ team represents both a group of people and a strategic process focused around you. As our Account Managers concentrate efforts on growing and enhancing your business, a complete continuum of support roles, resources and services surrounds you to make everything easy. And better still—one call to 800-952-2537 gives you direct access.

Insideadvantage.com

Designed for building and property manager professionals, this web site is a "one-stop shop" to help keep you up to date. From vital product specifications to accessory options, our Product Assistance representatives can help. Call us and we can also help you select ENERGY STAR® qualified and water-efficient appliances that fit your needs. Whether one-on-one or over the phone, we're working together with building and property manager professionals to make a sustainable difference. Simply call 1-800-952-2537.

100% Satisfaction

Our Whirlpool Corporation Inside Advantage™ team consists of highly trained representatives available to help you with information regarding our appliances, parts and service. Property managers can call our dedicated line at 1-800-952-2537, option #5.

Quality Express® Delivery Service

Whirlpool Corporation's reputation for unparalleled service is carried through to on-time delivery and proper installation with our nationally recognized Quality Express® Delivery Service.

Whirlpool Authorized Service Network

If and when service is necessary, we offer excellent authorized factory service. Through our Contract Service Initiative, we've combined the efforts of our Quality Express® Delivery and our Whirlpool Authorized Service Network to assure an even more positive customer experience. 1-800-952-2537, option #2.

Regional Distribution Center

Ten Regional Distribution Centers (RDCs) throughout the United States range in size from 410,000 to 1.7 million square feet to house acres upon acres of Whirlpool® Home Appliance inventory. Each one serves as the regional hub for Local Distribution Centers (LDCs) in the area. Staffed by a General Manager, Warehouse Manager, Fleet Manager, Safety Manager, Customer Service Representative and Warehouse Personnel and Line Haul Truck Drivers, every RDC organization is designed for efficient and timely order management.

Manufacturing

Whirlpool Corporation owns and operates manufacturing sites across the country to ensure a full line of superior home appliances. Each facility is dedicated to exemplary quality control to meet the high standards you expect when you purchase a Whirlpool® or Amana® brand product.

- Marion, OH – Dryers
- Clyde, OH – Washers
- Findlay, OH – Dishwashers
- Fort Smith, AR – Refrigerators
- Tulsa, OK – Freestanding Ranges
- Amana, IA – Refrigerators
- Cleveland, TN – Built-In Ovens and Cooktops

Product Accessories

Enhance the appearance, convenience and performance of your home appliances with our full line of high quality parts and accessories. 1-800-952-2537, option #2.

Partner with Whirlpool Corporation, to deliver the #1 name in home appliances from the world's leading appliance manufacturer.

Easy Installation

Ease of installation is critical whether you are installing the units yourself or having us install them for you. Whirlpool® home appliances simplify the task.

Whirlpool® Dishwashers

Manufacturer's exclusive rear rollers with capped feet—easy movement during installation—prevent scratching floors or snagging carpets.

Whirlpool® Ranges

Front and rear leveling legs—easy height adjustment for a level cooking surface.

Whirlpool® Refrigerators

Adjustable rubber rollers with adjustable leveling legs allow for easy movement and leveling of the unit.

Whirlpool® Washers

Rip-cord installation with self-leveling rear legs—no need to unfasten bolts or remove pallets.

The Inside Advantage™ team process

1 Getting Started

We'll work to make sure you're set up in our system, quickly establish a line of available credit, and discuss your handling requirements along with our order-to-delivery process.

2 Trade Customer Support

You can directly access our support specialists to answer your questions and resolve issues. Just one number to call for orders, pricing, product information and more.

3 Web World—www.whr.com

Anytime, 24/7, simply enter your user ID and password for secure access to order management tools, a brand advertising network, build-a-brochure tools, a digital library of images and more.

4 Quality Express® Delivery

Count on this service to deliver appliances on time and to install them properly. They also provide GPS tracking for accurate "final mile" delivery information.

5 Invoicing & Payment

Increase productivity in your organization with our paperless billing process. Complete weekly billing detail and summary reports give you the assurance of accuracy.

6 Service & Parts

Our brands enjoy some of the best quality and excellent service incidence rates around. But when service is necessary, we stand behind our appliances with the Whirlpool Authorized Service Network.

7 Ongoing Support

Throughout the process, you also have access to an array of programs and services that save you time, enhance your offerings and extend our thanks. These include insideadvantage.com, Pre-Buy consumer support, the Green Touch™ Program, Finishing Touches™ Purchase Program and VIP Link™ Program.

Multi-Family Kitchen Packages

	Range		Hood / MHC	Dishwasher	Disposer	Refrigerator
	Electric	Gas				
Good ★ Q	RF111PXS	WFG111SV*	UXT4030AY or WMH1163XV	DU811SWP	GC1000PE	W8TXNWFW
Better ★★ Q/B/T	RF114PXS	WFG114SW	WMH2175XV	DU1015XTX	GC2000PE	W8RXEGMW
Best ★★★ Q/B/S	RF263LXT	WFG371LV	WMH2175XV	DU1055XTV	GC5000XE	W8RXNGMW

Alternate Models

Ranges
WFE115LX*
WFE361LV
RY160LXT*
GY397LXU*
GW397LXU*

Hood
UXT2030AY (30")

Dishwashers
DU810SWP-Cordless
GU3100XTV*-34" Height

Disposers
GC1000XE-Cordless
GC2000XE-Cordless

Refrigerators
W4TXNWFW*-14' Top Mount
W5TXEWFW*-15' Top Mount
W6TXNWFW-16' Top Mount
W8TXNWMW-18' Top Mount
GB2FHDXW-22' Bottom Mount
ED5CHQXV-25' Side by Side

Installation Accessories

Range Cords – PT220 or PT400
Dishwasher Cord – 4317824
Ice Maker – ECKMF94
Dryer Cord – PT220L or PT400L

Multi-Family Laundry

	WASHER	ELECTRIC DRYER	GAS DRYER
Good ★	WTW4800XQ	WED4890XQ	WGD4890XQ
Better ★★	WTW4850XQ	WED4850XQ	WGD4850XQ
Options	LTE/G5243D & WE/GT3300X THIN TWIN®	WFC7500V* / WED7500V* WASHER & DRYER	

*Recommended for ADA Applications

Multi-Family Kitchen Packages

	Range		Hood / MHC	Dishwasher	Disposer	Refrigerator
	Electric	Gas				
Good ★ Q, W	AER3311WA	AGR3311WD*	UXT4030AY	ADB1000AW	GC1000PE	A6TXNWFX
Better ★★ W/B	AER5523XA	AGR4433XD	AMV1150VA	ADB1400AW	GC2000PE	A8TXNWFX
Best ★★★ W/B/D/S	AER5844VA	AGR5844VD	AMV2174VA	ADB1600AW	GC5000XE	ASD2522WR, A8RXNGMW

Alternate Models

Hood
UXT2030AY (30")

Refrigerators
A4TXNWFW* -14' Top Mount
A8RXNGFX-18' Top Mount

Disposers
GC1000XE-Cordless
GC2000XE-Cordless

Installation Accessories

Range Cords – PT220 or PT400
Dishwasher Cord – 4317824
Ice Maker – ECKMF94
Dryer Cord – PT220L or PT400L

Multi-Family Laundry

	WASHER	ELECTRIC DRYER	GAS DRYER
Good ★	ETW4400XQ	EED4400W	EGD4400W
Options	LTE/G5243D & WE/GT3300X THIN TWIN®		WFC7500V* / WED7500V* WASHER & DRYER

*Recommended for ADA Applications

Ranges

Good ★

RF111PXS
- 4.8 Cu. Ft. Oven
- Three 6" and One 8" Coil Element
- Chrome Drip Bowls
- Full-Width Storage Drawer
- Standard Clean Oven
- Available in White(Q)

WFG111SV*
- 4.4 Cu. Ft. Oven
- Broiler Compartment
- Four 9,500 BTU Gas Burners
- New Steel Grates
- Standard Clean
- Available in White(Q)

Better ★★

RF114PXS
- 4.8 Cu. Ft. Oven
- Two 6" and Two 8" High-Speed Coil Elements
- Chrome Drip Bowls
- Clock and Timer
- Full-Width Storage Drawer
- Standard Clean Oven
- Available in White(Q), Biscuit(T) and Black(B)

WFG114SW
- 4.4 Cu. Ft. Capacity
- Cast-Iron Grates
- (3) 9,500 BTU Burners
- (1) 11,500 BTU Burner
- Standard Clean Oven
- Available in White-on-White(Q), Biscuit(T) and Black(B)

Best ★★★

RF263LXT
- 4.8 Cu. Ft. Oven
- Two 6" and Two 8" High-Speed Coil Elements
- Delay Bake
- Custom Broil
- Clock and Timer
- Full-Width Storage Drawer
- Self Clean
- Available in White(Q), Biscuit(T), Black(B), and Stainless Steel(S)

WFG371LV
- 5.0 Cu. Ft. Oven
- EZ-Clean, Dishwasher-Safe Satin Finish Cast-Iron In Sump Full-Width Grates
- 15,000 BTU Power™ Burner
- 5,000 BTU AccuSimmer™ Burner
- Recessed Cooktop
- One 5,000 BTU, One 9,500 BTU, and Two 15,000 BTU Sealed Gas Power™ Burners
- Self Clean
- Available in White(Q), Black(B) and Stainless Steel(S)

*Recommended for ADA Applications

Ranges

Alternate Models

WFE115LX*
- 4.8 Cu. Ft. Capacity
- Chrome Drip Pans
- Upswept Porcelain SpillGuard™ Cooktop
- (2) 8" Coil Elements; (2) 6" Coil Elements
- Standard Clean Oven
- 2 Adjustable Oven Racks
- Custom Broil
- Oven Light
- Available in White(Q), Biscuit(T), Black(B), Universal Silver(D) and Stainless Steel(S)

WFE361LV
- 4.8 Cu. Ft. Capacity
- Dual Radiant Element
- Two 6", One 9", and One 6"/9" Radiant Elements
- Delay Bake
- Full-Width Storage Drawer
- Self Clean
- Metal Handle on Stainless Steel Model
- Available in White(Q), Biscuit(T), Black(B), Universal Silver(D) and Stainless Steel(S)

RY160LXT*
- 4.3 Cu. Ft. Oven
- Two 8" Coil Elements, Two 6" Coil Elements
- Chrome Drip Bowls
- Clock and Timer
- Delay Bake
- Oven Hold Warm
- Adjustable Keep Warm Setting
- Storage Drawer
- Available in White(Q), Black(B) and Stainless Steel(S)

WHIRLPOOL GOLD® GY397LXU*
- 4.5 Cu. Ft. Oven
- Two 6" and Two 6"/9" Radiant Elements
- AccuBake® Temperature Management System
- Sabbath Mode
- Storage Drawer
- Self Clean
- Metal Handle on Stainless Steel Model
- Available in White(Q), Biscuit(T), Black(B) and Stainless Steel(S)

WHIRLPOOL GOLD® GW397LXU*
- 4.5 Cu. Ft. Oven
- EZ-Clean, Dishwasher-Safe, Satin Finish In Sump Full-Width Cast-Iron Grates
- One 5,000 BTU AccuSimmer® Burner, One 9,200 BTU, One 12,500 BTU and One 16,000 BTU Power™ Sealed Gas Burners
- AccuBake® Temperature Management System
- Sabbath Mode
- Split Rack
- Storage Drawer
- Self Clean
- Metal Handle on Stainless Steel Model
- Available in White(Q), Biscuit(T), Black(B) and Stainless Steel(S)

*Recommended for ADA Applications

Hoods/Microwave Hoods

Good ★

UXT4030AY
- Sleek Modern Design with Hidden Vents
- Dishwasher Safe Aluminum Mesh Grease Filter
- 75 Watt Incandescent Surface Light With 1 Light Level
- Axial Fan
- 2 Speed Settings
- Available in White(Q), Biscuit(T), Black(B), and Stainless Steel(S)

WMH1163XV
- 1.6 Cu. Ft. Oven
- 1000 Watts Cooking Power
- Hidden Vent
- 2-Speed Fan/220 CFM
- Auto Cook, Defrost and Reheat Cycles
- Staged Cooking
- Convertible Ventilation
- Filter Change Indicator
- Control Lock
- Night-Light Setting
- Available in White(Q), Black(B), Stainless Steel(S) and Universal Silver(D)

Better ★★

WMH2175XV
- Hidden Vent
- Warm Hold Cycle
- 1,000 Watts Cooking Power
- Add 30 Seconds Option
- Non-Sensor Reheat, Cook, Defrost Cycles
- Cooking Rack
- Stoppable Sunken Glass Turntable
- Night-Light Setting
- Charcoal Filter
- 1.7 Cu. Ft. Family Capacity™ Microwave
- 6th Sense™ sensor cooking
- 2-Speed fan/220 CFM
- EZ-Vue™ lighting
- Available in White-on-White(Q), Biscuit(T) and Black(B)

Best ★★★

WMH2175XV
- Hidden Vent
- Warm Hold Cycle
- 1,000 Watts Cooking Power
- Add 30 Seconds Option
- Non-Sensor Reheat, Cook, Defrost Cycles
- Cooking Rack
- Stoppable Sunken Glass Turntable
- Night-Light Setting
- Charcoal Filter
- 1.7 Cu. Ft. Family Capacity™ Microwave
- 6th Sense™ sensor cooking
- 2-Speed fan/220 CFM
- EZ-Vue™ lighting
- Available in Stainless Steel(S)

Alternate Model

UXT2030AY
- Sleek Modern Design
- Up to 190 CFM Ventilation System (Vented Only)
- 4.5 Sones
- Dishwasher Safe Aluminum Mesh Grease Filter
- 75 Watt Incandescent Surface Light With 1 Light Level
- Available in White(Q), and Black(B)

Dishwashers

Good ★

DU811SWP
- ENERGY STAR® Qualified
- Large Capacity (Standard Tub)
- Standard Sound Insulation System
- 2-Level DuraWash™ Tower-Feed System
- 5 Cycles — Pots & Pans, Heavy, Normal, Rinse Only and Plate Warm
- 1 Option — No Heat Dry
- High-Side Upper and Lower Racks
- Large Silverware Basket with Cover
- Attached Power Cord
- Wheels on Back Legs for Easy Installation
- Available in White(Q) and Black Console with White Panel(U)

Better ★★

DU1015XTX
- ENERGY STAR® Qualified
- Super Capacity Tall Tub
- Electronic Controls
- In-Rack Silverware Basket
- White Plastic Interior/Vinyl Racks
- Quiet Partner™ I Sound Package
- 3 Automatic Cycles—1-Hour Wash, Normal and Pots & Pans
- 3 Options—4-Hour Delay Wash, Heated Dry and Hi Temp Wash
- 4-Level SheerClean™ Direct Feed Wash System
- Hard Food Disposer
- Control Lock
- Available in White(Q), Biscuit(T), Black(B) and Black-on-Stainless Steel(S) and Universal Silver(D)

Best ★★★

DU1055XTV
- ENERGY STAR® Qualified
- Super Capacity Tall Tub
- SheerClean™ Direct Feed Wash System
- Auto Soil Sensor
- AnyWare™ Plus Silverware Basket
- Quiet Partner™ II Sound Package
- White Plastic Interior
- NSF® Certified Sani Rinse Option
- Control Lock
- 2-4-6 Hour Delay Wash
- Heated Dry
- Pots & Pans Cycle
- Rinse Only Cycle
- Available in White(Q), Biscuit(T), Black-on-Black(B), Stainless Steel(S) and Universal Silver(D)

Alternate Models

DU810SWP
- ENERGY STAR® Qualified
- Large Capacity (Standard Tub)
- Standard Sound Insulation System
- 2-Level DuraWash™ Tower-Feed System
- 5 Cycles — Pots & Pans, Heavy, Normal, Rinse Only and Plate Warm
- 1 Option — No Heat Dry
- High-Side Upper and Lower Racks
- Large Silverware Basket with Cover
- Wheels on Back Legs for Easy Installation
- Available in White(Q), Biscuit(T) and Black Console with White Panel(U)

GU3100XTV*
- ENERGY STAR® Qualified
- Will Install Under a Standard 36" Height Counter or an ADA Approved 34" Height Counter
- Stainless Steel Tub Interior
- Nylon Racks
- 5 Cycles — Pots/Pans, Heavy, Normal, Light, and Rinse Only
- Options — High Temperature Wash, 2-4-6 Hour Delay Wash and Control Lock
- Wheels on Back Legs for Easy Installation
- Available in White(Q), Black(B), Stainless Steel(S)

Disposers

Good ★

GC1000PE
- ⅓ HP Motor
- Continuous-Feed Operation
- Galvanized Steel Food Grinder
- Attached Power Cord

Better ★★

GC2000PE
- ½ HP Motor
- Continuous-Feed Operation
- Galvanized Steel Food Grinder
- Attached Power Cord

Best ★★★

GC5000XE
- ¾ HP Motor
- Continuous-Feed Operation
- Stainless Steel Food Grinder
- High Polished Sink Flange

Alternate Models

GC1000XE
- ⅓ HP Motor
- Continuous-Feed Operation
- Galvanized Steel Food Grinder

GC2000XE
- ½ HP Motor
- Continuous-Feed Operation
- Galvanized Steel Food Grinder

*Recommended for ADA Applications

Refrigerators

Good ★

W8TXNWFW
- 18 Cu. Ft. Capacity
- Traditional Styling
- Flat Textured Door Styling
- Up-Front Temperature Controls
- Automatic Defrost System
- Fixed Freezer Floor
- ClearVue™ Crispers
- Optional Automatic Ice Maker (Part no. ECKMF94)
- Available in White(Q), Biscuit(T) and Black(B)

Better ★★

W8RXEGMW
- ENERGY STAR® Qualified
- 18 Cu. Ft. Capacity
- Contoured Door Styling
- Up-Front Temperature Controls
- Automatic Defrost System
- Adjustable Clear Door Bins
- Fixed Freezer Floor
- ClearVue™ Crispers
- SpillMizer™ Glass Shelves
- Factory Installed Automatic Ice Maker
- Available in White(Q), Black(B), Universal Silver(D) and Stainless Steel(S)

Best ★★★

W8RXNGMW
- ENERGY STAR® Qualified
- 18 Cu. Ft. Capacity
- Contoured Door Styling
- Up-Front Temperature Controls
- Automatic Defrost System
- Adjustable Clear Door Bins
- Fixed Freezer Floor
- ClearVue™ Crispers
- SpillMizer™ Glass Shelves
- Available in White(Q), Black(B), Universal Silver(D), Satina™ Stainless Look(L), and Stainless Steel(S)

Alternate Models

W4TXNWFW*
- Traditional Styling
- Flat Textured Door Styling
- Up-Front Temperature Controls
- Automatic Defrost System
- Fixed Freezer Floor
- ADA Compliant
- Available in White-on-White(Q) and Biscuit(T)

W5TXEWFW*
- ENERGY STAR® Qualified
- Traditional Styling
- Flat Textured Door Styling
- Up-Front Temperature Controls
- Automatic Defrost System
- Fixed Freezer Floor
- Full-Width Opaque Crisper
- ADA Compliant
- Available in White-on-White(Q), and Black(B)

Refrigerators

Alternate Models

W6TXNWFW
- Traditional Styling
- Up-Front Temperature Controls
- Automatic Defrost System
- Fixed Freezer Floor
- Full-Width Opaque Crisper
- Optional Automatic Ice Maker (Part no. ECKMF94)
- Available in White-on-White(Q) and Biscuit(T)

W8TXNWMW
- Traditional Styling
- Flat Textured Door Styling
- Factory Installed Automatic Ice Maker
- Up-Front Temperature Controls
- Automatic Defrost System
- Fixed Freezer Floor
- Available in White(Q) and Black(B)

GB2FHDXW
- ENERGY STAR Qualified – 30%
- 21.9 Cu. Ft. Capacity
- Factory-Installed Ice Maker
- Deli Drawer
- Adjustable SpillGuard™ Shelves
- Humidity-Controlled Crispers
- Freezer Drawer
- Available in White(Q), Black(B), Universal Silver(D) and Stainless Steel(S)

ED5CHQXV
- Textured Door Design
- 15.2 Cu. Ft. Refrigerator Compartment Volume
- 9.9 Cu. Ft. Freezer Compartment Volume
- 25.1 Cu. Ft. Total Capacity
- EZ-Touch™ Crushed/Cubed Ice and Water Dispenser
- Dial Temperature Controls
- (2) Adjustable SpillGuard™ Shelves
- Integrated Shelf Supports
- Clear Humidity-Controlled Crisper
- Temperature-Controlled Meat Pan
- Snack Pan
- (3) Adjustable Collared Door Bins
- Full-Width Freezer Bin
- Available in White-on-White(Q), Biscuit(T), and Black(B)

*Recommended for ADA Applications

Laundry

Good ★

WTW4800X—WASHER
- 3.4 Cu. Ft. White Porcelain Wash Basket
- Xtra Roll Action™ Plus Agitator
- Fabric Sense™ Wash System
- Care Control Temperature Management
- Quiet Spin Technology
- 700 RPM Maximum Spin Speed
- Cycle Status Bar
- 8 Automatic Cycles, Including: Heavy Duty, Normal, Casual and Delicate
- On/Off Extra Rinse Option
- On/Off Fabric Softener Knob
- Bleach Dispenser
- Fabric Softener Dispenser
- 4 Selectable Water Levels
- 4 Selectable Water Temperatures
- Available in White-on-White(Q)

WED4890X—ELECTRIC DRYER
WGD4890X—GAS DRYER
- 7.0 Cu. Ft. Capacity
- 3 temperatures
- 13 cycles
- Drum light
- Side Swing Reversible Door
- Available in White-on-White(Q)

Better ★★

WTW4850X—WASHER
- 3.4 Cu. Ft. White Porcelain Wash Basket
- Xtra Roll Action™ Plus Agitator
- Fabric Sense™ Wash System
- ENERGY STAR® Qualified
- Care Control Temperature Management
- Available in White-on-White(Q)

WED4850X—ELECTRIC DRYER
WGD4850X—GAS DRYER
- 7.0 Cu. Ft. Capacity
- 4 temperatures
- 13 Cycles
- Drum Light
- Auto Dry
- Side Swing Reversible Door
- Available in White-on-White(Q)

Laundry

Options

WET3300X—(27" ELECTRIC)
WGT3300X—(27" GAS)

Washer

- 2.6 Cu. Ft. Capacity Wash Basket
- Double Duty Surgilator® Agitator
- 8 Automatic Cycles
- 4 Wash/Rinse Temperature Combinations
- White Porcelain Basket more
- Stepped-Down Agitation more
- 3 Wash/Spin Speed Combinations
- 4 Water Level Selections
- Fabric Softener Dispenser more
- Bleach Dispenser more
- Self-Cleaning Lint Filter
- ToughTop II™ Top and Lid Finish

Dryer

- 5.9 Cu. Ft. Extra-Large Capacity
- AutoDry™ Drying System
- 6 Cycles
- Tumble Press® Cycle more
- 3 Temperature Selections
- Side-Swing Door
- DuraWhite™ Interior
- 4-Way Venting Option
- Available in White(Q)

LTE5243D (24" ELECTRIC)
LTG5243D (24" GAS)

Washer

- 1.5 Cu. Ft. Capacity
- 5 Automatic Cycles
- Surgilator® Agitator
- Gentle Wash System
- 4 Wash/Spin Speed Combinations
- 3 Water Levels
- 4 Temperature Settings
- Spreckle Porcelain-Coated Wash Basket

Washer

- 3.4 Cu. Ft. Capacity
- 5 Automatic Cycles
- Gentle Heat System
- 4 Temperature Settings
- End-of-Cycle Signal
- DuraWhite™ Interior
- Available in White(Q)

WASHER WFC7500V*

- 2.0 Cu. Ft. I.E.C. Capacity
- ENERGY STAR® Qualified
- Internal Water Heater
- Stainless Steel Wash Basket
- 11 Cycles
- Up to 1,200 RPM Maximum Spin Speed
- 4 Temperature Selections
- End-of-Cycle Signal
- Automatic Water Levels
- Triple Dispenser for Detergent, Fabric Softener and Bleach
- Flexible Installation — Under a Standard Counter Top, Freestanding or Stacked
- Available in White(W)

ELECTRIC DRYER WED7500V*

- 3.8 Cu. Ft. Capacity
- 11 Cycles Including Regular, Synthetics and Timed Dry
- Moisture Sensor Control
- 2 Temperature Selections
- End-of-Cycle Signal
- Long-Vent Exhaust System
- Electric Only
- Door Window
- Available in White(W)

*Recommended for ADA Applications

Product Specifications

Electric Ceramic-Glass Cooktop Freestanding Ranges

Model No.	WFE361LV
Capacity (cu. ft.)	4.8
Control system	Electronic
Cooktop	
Ceramic Glass CleanTop® System	Yes
6" Radiant Element	2
9" Radiant Element	1
6"/9" Dual Radiant Element	1
Oven	
Custom Broil	Yes
Clock & Timer	Yes
Automatic Oven Light	Yes
Racks	2 Adjustable
Oven Window	EasyView™
Full-Width Storage Drawer	Yes
Self-Cleaning System	Yes
Overall Features	
Metal Handle	S
Dimensions (W–H–D)	29⅞"–46⅞"–27⅛"



Electric Porcelain-On-Steel Cooktop Freestanding Ranges

Model No.	WFE115LX
Capacity (cu. ft.)	4.8
Controls	Knob
Cooktop	
8" High-Speed Coil Element (2,600 Watts)	2
6" Coil Element (1,500 Watts)	2
Upswept, Porcelain-on-SteelSpillGuard™ Cooktop	Yes
Drip Pans	Chrome
Cooktop "On" Indicator Light	Yes
Oven	
Custom Broil	Yes
Clock and Timer	Yes
Oven Light	Manual
Oven Window	EasyView™
2 Adjustable Racks	Yes
Overall Features	
Full-Width Storage Drawer	Yes
Dimensions (W–H–D)	29⅞"–46⅞"–27 9/16"



Model No.	RF263LXT	RF114PXS	RF111PXS
Capacity (cu. ft.)	4.8	4.8	4.8
Controls	Electronic	Electronic	Knob
Cooktop			
8" High-Speed Coil Element (2,600 Watts)	2	2	—
6" Coil Element (1,500 Watts)	2	2	3
8" Coil Element (2,100 Watts)	—	—	1
Upswept, Porcelain-on-Steel SpillGuard™ Cooktop	Yes	Yes	Yes
Drip Pans	Chrome	Chrome	Chrome
Cooktop "On" Indicator Light	Yes	Yes	Yes
Oven			
Delay Bake	Yes	—	—
Custom Broil	Yes	Yes	—
Clock and Timer	Yes	Yes	—
Control Lockout	Yes	—	—
Oven Light	Automatic	Automatic	Manual
Oven Window	EasyView™	Yes	Yes
2 Adjustable Racks	Yes	Yes	Yes
Self-Cleaning System	Yes	—	—
Overall Features			
Full-Width Storage Drawer	Yes	Yes	Yes
Approx. Shipping Weight (lbs.)	138	141	155
Dimensions (W–H–D)	29⅞"–46⅞"–27⅛"	29⅞"–46⅞"–27⅛"	29⅞"–46⅞"–27⅛"



Product Specifications

Gas Freestanding Ranges

	WFG371LV
Capacity (cu. ft.)	5.0
Control System	Electronic
Cooktop	
Recessed Cooktop	Full Sump
Upswept, Porcelain SpillGuard™ Cooktop	Yes
Grates	Full-Width, In-Sump Cast-Iron
Sealed Burners	Yes
5,000 BTU AccuSimmer® Burner	1
9,500 BTU Burner	1
15,500 BTU Power™ Burner	2
Oven	
AccuBake® Temperature Management System	Yes
Delay Bake	Yes
Oven Hold Warm	Yes
Custom Broil	Yes
Control Lock	Yes
Clock and Timer	Yes
Oven Light	Automatic
Adjustable Racks	2
Oven Window	EasyView™
Drawer	Storage
Self-Cleaning System	Adjustable Time
Overall Features	
Metal Handle	S
Dimensions (W–H–D)	29⅞"–46⅞"–27⅛"

	WFG114SW	WFG111SV
Capacity (cu. ft.)	4.4	4.4
Control System	Electronic	Knob
Cooktop		
Upswept, Porcelain SpillGuard™ Cooktop	Yes	Yes
Grates	Cast Iron	Steel
Sealed Burners	Yes	—
9,500 BTU Burner	3	4
11,500 BTU Burner	1	—
Oven		
Oven Light	Automatic	Manual
Adjustable Racks	2	2
Oven Window	Yes	Yes
Drawer	Broiler	Broiler Compartment
Overall Features		
Dimensions (W–H–D)	29⅞"–46¼"–26¾"	29⅞"–46¼"–26¾"





Electric Slide-in Ranges Slide-in Ranges

	GY397LXU	RY160LXT
Oven		
Temperature Management System	AccuBake®	—
Delay Bake	Yes	Yes
Capacity (cu. ft.)	4.5	4.3
Sabbath Mode	Yes	—
Cleaning System	Self-Clean	Self-Clean
Auto Self-Clean Latch	Yes	—
Automatic Light	Yes	—
Light Switch	Touch-Pad	Rocker
Adjustable Racks	2 Full-Width	2 Full-Width
Rack Guides	5	5
Glass Door	Yes	Yes
Window	Extra Large	Extra Large
Cooktop		
Ceramic-Glass CleanTop®	Yes	—
Porcelain-on-Steel Cooktop	—	Yes
Surface Elements	(2) 6", (2) 6/9" Radiant	(2) 6", (2) 8" Coil
Drip Bowls	—	Chrome
Surface Unit Indicator Lights	Yes	—
General Information		
Storage Drawer	Yes	Yes
Approx. Shipping Weight (lbs.)	200	200
Dimensions (W–H–D)	30¾"–35¾"–28⅝"	30¾"–35¾"–28⅝"


30-3/4" (78.1 cm) cooktop width
35-3/4" (90.8 cm) cooktop height with leveling legs screwed all the way in
23-3/4" (60.3 cm)
1" (2.5 cm) spacer
28-5/16" (71.9 cm) depth with handle
29-7/8" (75.9 cm) width***
***30-3/4" (78.1 cm) with side panels

Product Specifications

Gas Slide-in Range

	GW397LXU
Oven	
Temperature Management System	AccuBake®
Capacity (cu. ft.)	4.5
Cleaning System	Self-Clean
Automatic Light	Yes
Light Switch	Touch-Pad
Adjustable Racks	2 Full-Width
Rack Guides	5
Sabbath Mode	Yes
Broiler	Waist-High
Glass Door	Yes
Window	Extra Large
Bake Burner BTU/hr. Rating (Nat./LP)	15,500/ 15,500
Broil Burner BTU/hr. Rating (Nat./LP)	10,000/ 9,000
Cooktop	
Porcelain-on-Steel SpillGuard™	Yes
Burner Type	Sealed
Ignition	Electronic
Surface Burner BTU/hr. Rating (Nat./LP): Left Rear AccuSimmer® Burner	5,000
Right Front	14,000
Left Front	9,200
Right Rear	9,200
Total Load Gas BTU (Nat./LP):	65,000/ 58,500
Burner Grates —2-Piece Porcelain-Coated-Full-Width Cast-Iron	B/S — Black Q, T — Grey
Non-Turn Grates	Yes
Lift-Off Control Knobs	Yes
Controls	
Controls	Electronic
General Information	
Storage Drawer	Yes
Anti-Tip Brackets	Yes
Approx. Shipping Weight (lbs.)	239
Dimensions (W–H–D)	30¾"– 35¾"–28 5/16"


30-3/4" (78.1 cm) cooktop width
23-3/4" (60.3 cm)
35-3/4" (90.8 cm) cooktop height with leveling legs screwed all the way in
1" (2.5 cm) spacer
28-5/16" (71.9 cm) depth with handle
29-7/8" (75.9 cm) width*
*30-3/4" (78.1 cm) with side panels

Vent Hoods

	UXT4030AY	UXT2030AY
Type	Non-Vented	Vented
Duct Type 7" Round	—	Yes
Washable Grease Filter	Yes	Yes
Vertical CFM/7" Round	—	190
Vertical Sones/ 7" Round	—	6.0
Control	2-Speed Rocker Switch	2-Speed Rocker Switch
Damper	—	Optional
Blower	Axial Fan	Axial Fan
Light††	1-Level Incandescent	1-Level Incandescent
Approx. Shipping Weight (lbs.)	11	12
Dimensions (H–D)	6" x 17½"	6" x 17½"

UXT4030AA (30")



UXT2030AA (30")



Microwave/Hood Ovens

	WMH2175XV	WMH1163XV
Microwave		
Capacity (cu. ft.)	1.7	1.6
Cooking Power (watts)	1000	1000
Cooking Functions		
6th Sense™ Cooking System	Yes	—
Add 30 Seconds	Yes	Yes
Programmed Cooking	3-Stage	2-Stage
Variable Power Levels	10	10
Warm Hold	Yes	—
Cycles		
Dinner Plate	Yes	Yes
Popcorn	Yes	Yes
Baked Potato	Yes	Yes
Beverage	Yes	—
Convenience		
Recessed Glass Turntable	Stoppable	Yes
Rack	Cooking Rack	—
Child Lockout	Yes	Yes
Hood		
Exhaust Fan	2-Speed	2-Speed
EZ-Vue™ Cooktop Lighting	Yes	Yes
Odor Removal Filter (Charcoal)	Yes	Yes
Dishwasher Safe Grease Filter(s)	Yes	Yes
Filter Change Indicator	Yes	Yes
General Information		
Convertible for Vented or Non-Vented Use	Yes	Yes
Approx. Shipping Weight (lbs)	72	72
Stainless Steel Finish Handle†	Yes	Yes
Hidden Vent	Yes	Yes
Dimensions (W–H–D)	29 15/16" x 17¼" x 17¾" (front of handle)	29 15/16" x 17¼" x 17¾" (front of handle)



Product Specifications

Dishwashers

Model No.	GU3100XTV	DU1055XTV	DU1015XTX	DU811SWP	DU810SWP
Capacity	Super	Super	Super	Large	Large
Sound Reduction Package		Quiet Partner™ II	Quiet Partner™ I	Standard	Standard
ENERGY STAR® Qualification**	Yes	Yes	Yes	Yes	Yes
Tub Size	Tall Tub Stainless	Tall Tub	Tall Tub	Standard	Standard
Wash System	2 Wash Arms	SheerClean™	SheerClean™	DuraWash™	DuraWash™
Auto Soil Sensor	—	Yes	—	—	—
Self-Cleaning Filters	—	Yes	Yes	—	—
Water Wash Level	5	5	4	2	2
Water Feed System	Direct	Direct	Direct	Tower	Tower
Automatic Temperature Control	Yes	Yes	—	—	—
Controls					
Control System	Electronic	Electronic	Electronic	Electro-Mechanical	Electro-Mechanical
Cycles	5	4	3	5	5
Pots & Pans	Yes	Yes	Yes	Yes	Yes
Heavy	Yes	—	—	Yes	Yes
Normal	Yes	Yes	Yes	Yes	Yes
Light	Yes	Yes	—	—	—
Rinse Only	Yes	Yes	—	Yes	Yes
Plate Warmer	—	—	—	Yes	Yes
1-Hour Wash	—	—	Yes	—	—
Options	4	6	4	1	1
High-Temp Wash†	Yes	Yes	Yes	—	—
Soak & Scour	—	Yes	—	—	—
NSF Certified Sani-Rinse Option	—	Yes	—	—	—
Drying	No Heated Dry	Heated	Heated	No Heat Dry	No Heat Dry
Delay Wash	2/4/6-Hour	2/4/6-Hour	4–Hour	—	—
Control Lock	Yes	Yes	Yes	—	—
Racks/ Silverware/Utensil Baskets					
Coating	Nylon	PVC	Vinyl	PVC	PVC
Silverware Basket		AnyWare™ Plus	Large In-the-Rack	In-the-Rack with Cover	In-the-Rack with Cover
General Information					
Factory Installed Power Cord		—	—	Yes	—
Dimensions (W–H–D)	23⅞" x 32½" min. x 24"	23⅞" x 34½" x 24½"	23⅞" x 34½" x 24½"	23⅞" x 32½-35" x 24⅞"	23⅞" x 32½-35" x 24⅞"

* ®ENERGY STAR is a U.S. Registered Mark.

† High-Temp Wash maintains 145˚F in the main wash when selected, while High-Temp Boost increases the amount of time the heat is on in the wash and rinse cycles.



Side by Side Refrigerator

Model No.	ED5CHQXV
Capacity	
Total Volume (cu. ft.)	25.1
Refrigerator Volume (cu. ft.)	15.2
Freezer Volume (cu. ft.)	9.9
Total Shelf Area (sq. ft.)	24.3
Refrigerator	
Adjustable Cantilever Shelves	SpillGuard™ Glass
Clear Humidity-Controlled Crisper	Yes
Clear Temperature-Controlled Meat Pan	Yes
Clear Snack Pan	Yes
Opaque Adjustable Gallon Door Bins	Yes
Butter/Utility Compartment	Yes
Freezer	
Ice and Water Dispenser	EZ-Touch™ Cubed/ Crushed
Factory-Installed Ice Maker	Yes
Freezer Compartment Shelves	4
Slide-Out Bins/Baskets	1 Bin
Construction	
Foam-In-Place Doors	Yes
Double Tub Construction	Yes
Textured Steel Doors/Cabinet	Yes
Auto Exterior Moisture Control	Yes
Color-Coordinated Handles	Yes
Color-Coordinated Grille	Yes
Door Handles	Short Length
General Information	
Adjustable Rubber Rollers/Levelers	Yes
Dimensions (W–H–D)	35½" x 68⅞" x 33¾"



Product Specifications

Top Freezer Refrigerator

Model No.	W8TXNWFW	W8TXNWMW	W8RXEGMW	W8RXNGMW	W6TXNWFW	W5TXEWFW	W4TXNWFW
Total Volume (cu. ft.)	17.6	17.6	17.5	17.6	15.8	14.6	14.6
Refrigerator Volume (cu. ft.)	13.5	13.5	13.4	13.5	11.9	10.8	10.8
Freezer Volume (cu. ft.)	4.07	4.07	4.1	4.1	3.8	3.8	3.8
Total Shelf Area (sq. ft.)	19.1	19.1	18.7	18.1	18.5	16.5	17.1
ENERGY STAR® Qualified	—	—	Yes	—	—	Yes	—
Refrigerator							
Adjustable Glass Shelves	—	—	1 Full-Width	1 Full-Width	—	—	—
DuraWhite™ Wire Shelves	2 Full-Width	2 Full-Width	—	—	2 Full-Width	2 Full-Width	2 Full-Width
Clear Crisper(s)	—	—	2 Half-Width Humidity Controlled	2 Humidity Controlled	—	—	—
Opaque Crisper(s)	2 Half-Width	2 Half-Width	—	—	1 Full-Width	1 Full-Width	2 Half-Width
Clear Meat Pan	—	—	Sliding	Yes	—	—	—
Adjustable Door Bins	—	—	3 Clear	—	—	—	—
Fixed Door Storage	2 Full-Width/ 1 Part-Width	2 Full-Width/ 1 Part-Width	1 Full-Width	2 Full-Width/ 1 Part-Width	2 Full-Width/ 1 Part-Width	2 Full-Width/ 1 Part-Width	2 Full-Width/ 1 Part-Width
Gallon Door Storage	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Utility Shelf/ Compartment	Yes	Yes	Yes	Yes	—	—	—
Up-Front Temp Control(s)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Freezer							
Automatic Ice Maker	Field Installable**	Yes	Yes	Yes	Field Installable**	Field Installable**	Field Installable**
Removable Shelf	1 Half-Width Wire Fixed	1 Half-Width Wire Fixed	1 Full-Width Glass	1 Full-Width Glass	1 Half-Width Fixed	1 Half-Width Fixed	1 Full-Width Fixed
Wire Basket(s) or Door Storage	2 Full-Width Bracket	2 Full-Width Bracket	2 Full-Width Bracket	2 Full-Width Bracket	2 Full-Width Bracket	2 Full-Width Bracket	Bracket
General Information							
Contoured Doors	—	—	Yes	Yes	—	—	—
Door Handle(s)	Bow	Bow	Integrated	Integrated	Bow	Bow	Bow
Accu-Chill™ System Foam-in-Place Doors Double Tub Construction	 Yes Yes	 Yes Yes	 Yes Yes	 Yes Yes	 Yes Yes	 Yes Yes	 Yes Yes
Textured Steel Cabinet	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Reversible Doors	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Auto Exterior Moisture Control	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Adjustable Rubber Rollers/Levelers	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Approx. Shipping Weight (lbs.)	220	220	180	220	200	190	190
Dimensions (H–W–D)	67 3/8 x 28 x 32 7/8		67 3/8 x 28 x 30 1/8	67 3/8 x 28 x 30 3/8		62 1/8 x 28 x 31 1/2	62 1/8 x 28 x 32 7/8

**Accepts Icemagic® automatic ice maker kit part #ECKMF94. ®ENERGY STAR is a U.S. Registered Mark.



Bottom Freezer Refrigerator

Model No.	GB2FHDXW
Capacity	
Total Volume (cu. ft.)	22.1
Refrigerator Volume (cu. ft.)	15.6
Freezer Volume (cu. ft.)	6.3
Total Shelf Area (sq. ft.)	23.5
ENERGY STAR® Qualified	Yes—30%
Refrigerator	
Adjustable SpillGuard™ Glass Shelves	4 Spill Proof
Clear Crisper(s)	2 Humidity-Controlled
Adjustable Door Bins	Clear
Gallon Door Storage	Yes
Utility Shelf/ Compartment	Yes
Up-Front Temp Control(s)	Electronic
Freezer	
Automatic Ice Maker	Yes
Wire Basket(s)	Yes
Light	Yes
General Information	
Door Handle(s)	Branded
Accu-Chill™ System Foam-in-Place Doors Double Tub Construction	 Yes Yes
Textured Steel Cabinet	Yes
Reversible Doors	Yes
Auto Exterior Moisture Control	Yes
Adjustable Rubber Rollers/Levelers	Yes
Dimensions (H–W–D)	67 3/8 x 28 x 32 7/8



Product Specifications

Top Load Washers

Model No. (27")	WTW4800X	WTW4850X
Wash System		
Capacity (cu. ft.)	3.4	3.4
Wash/Spin Speed Combinations	5	2
Care Control Temperature Management	Yes	Yes
Quiet Wash System	Quiet Spin	Quiet Spin
Xtra Roll Action™ Plus Agitator	Yes	Yes
Washer Controls		
Cycles	8	12
Normal/Casual	Yes	Yes
Delicate	Yes	Yes
Rinse & Spin	Yes	Yes
Extra-Rinse	On/Off	On/Off
End-of-Cycle Signal	On/Off	--
Wash/Rinse Temperatures	4	5
Water Levels	4	4
Convenience		
Bleach Dispenser	Yes	Yes
Fabric Softener Dispenser	Yes	Yes
General Information		
Wash Basket	White Porcelain	White Porcelain
Approx. Shipping Weight (lbs.)	132	132
SpillGuard™ Top	Yes	Yes
General Information		
Dimensions (H–W–D)	42 ½ x 26 ⅞ x 25 ½	42 ½ x 26 ⅞ x 25 ½

Dryers

Electric Model No.	WED4850X	WED4890X
Gas Model No.	**WGD4850X**	**WGD4890X**
Capacity (cu. ft.)	7.0	6.0
Extra large Lint Screen	Top Cabinet	Top Cabinet
Temperature Settings	4	3 (In Timer)
High	Yes	In Timer
Medium	Yes	--
Low	Yes	In Timer
Air Only	In Timer	In Timer
Washer Controls		
Cycles	13	12
Energy Preferred	Yes	--
Timed Dry	Yes	Yes
Tumble Press/Casual/ Permanent Press	Yes	--
Damp Dry	Yes	--
Wrinkle Shield	40 (In Timer)	--
Fluff/Air (no Heat)	Yes	Yes
Wide Opening Hamper Door	Large Side Swing	Large Side Swing
End-of-Cycle Signal	Yes	--
DuraWhite™ Interior	Yes	Yes
Interior Light	Yes	--
SpillGuard™ Top	Yes	Yes
Electric Heating Element	5400	5400
Gas Heating Element (BTU)	22,000	22,000
Venting	Rear	Rear (Long Vent)
General Information		
Approx. Shipping Weight (lbs.)		
Electric	117	118
Gas	122	122

27" Thin Twin® Washer

Model No.	WET3300X WGT3300X
Wash System	
Capacity (cu. ft.)	2.6
Motor Speed	2
Gentle Wash System	Yes
Agitator	Double Duty
Lint Filter	Yes
Washer Controls	
Automatic Cycles	8
Super Wash	Yes
Regular/Heavy	Yes
Permanent Press	Yes
Delicate	Yes
Soak	Yes
Prewash	Yes
Wash/Rinse Temperatures	4
Water Levels	4
Convenience	
Fabric Softener Dispenser	Pt. #3350834
Wash Basket	White Porcelain
ToughTop II™ Top & Lid	Yes
General Information	
Direct Drive Motor (hp)	½
Transition Panel	Yes
Self-Leveling Rear Legs	Yes
Tripod 3-Point Suspension	Yes
Polypropylene Tub	Yes
Corrugated Drain Hose	Yes
Rip Cord Suspension	Yes
Front Serviceability	Yes
Overall Dimensions (H–W–D)	71 ⅝ x 27 x 32



Product Specifications

27" Thin Twin® Dryer

Model No.	WET3300X	WGT3300X
Drying System		
Drum Volume (cu. ft.)	5.9	5.9
Dry-Miser™ Control	Automatic	Automatic
Gentle Heat System	Yes	Yes
Lint Screen	Front Mounted	Front Mounted
Dryer Controls		
Temperature Settings	3	3
Automatic Cycles	6	6
Auto Perm. Press/Heavy (high heat)	Yes	Yes
Auto Delicate (low heat)	Yes	Yes
Timed Drying	Yes	Yes
Tumble Press®	Yes	Yes
Damp Dry	Yes	Yes
Fluff Air	Yes	Yes
Push-to-Start Button	Yes	Yes
End-of-Cycle Signal	Yes	Yes
General Information		
4-Way Venting	Yes	Yes
Electrical Requirements	240V/208V	120V
Electric Heating Element (watts)	4600/3460	—
Gas Burner (BTU)	—	16,000
180° Side-Swing Door	Yes	Yes
Baked Acrylic Enamel Cabinet Finish	Yes	Yes
DuraWhite™ Drum Finish	Yes	Yes
Variator Baffles	Yes	Yes
Approx. Shipping Weight (lbs.)	310	340



24" Thin Twin® Washer

Model No.	LTE5243D LTG5243D
Wash System	
Capacity (cu. ft.)	1.5
Motor Speed	2
Gentle Wash System	Yes
Agitator	1-Piece
Lint Filter	Easy-to-Clean
Washer Controls	
Automatic Cycles	5
Super Wash	Yes
Regular/Heavy	Yes
Permanent Press	Yes
Delicate	Yes
Prewash	Yes
Wash/Rinse Temperatures	4
Water Levels	3
Convenience	
Wash Basket	Spreckle Porcelain
ToughTop II™ Top & Lid	Yes
General Information	
Direct Drive Motor (hp)	½
Transition Panel	Yes
Self-Leveling Rear Legs	Yes
Tripod 3-Point Suspension	Yes
Polypropylene Tub	Yes
Corrugated Drain Hose	Yes
Rip Cord Suspension	Yes
Front Serviceability	Yes
Overall Dimensions (H–W–D)	71 ¾ x 23 ⅞ x 27 ¼

24" Thin Twin® Dryer

Model No.	LTE5243D	LTG5243D
Drying System		
Drum Volume (cu. ft.)	3.4	3.4
Dry-Miser™ Control	Automatic	Automatic
Gentle Heat System	Yes	Yes
Lint Screen	Front Mounted	Front Mounted
Dryer Controls		
Temperature Settings	4	4
Automatic Cycles	5	5
Auto Delicate (low heat)	Yes	Yes
Timed Drying	Yes	Yes
Tumble Press®	Yes	Yes
Fluff Air	Yes	Yes
Push-to-Start Button	Yes	Yes
End-of-Cycle Signal	Yes	Yes
General Information		
4-Way Venting	Yes	Yes
Electrical Requirements	240V/208V	120V
Electric Heating Element (watts)	3600	—
Gas Burner (BTU)	—	10,500
180° Side-Swing Door	Yes	Yes
Baked Acrylic Enamel Cabinet Finish	Yes	Yes
DuraWhite™ Drum Finish	Yes	Yes
Variator Baffles	Yes	Yes
Approx. Shipping Weight (lbs.)	276	280



Product Specifications

24" Compact Washer

Model No.	WFC7500V 1200 RPM
Capacity (cu. ft.)	2.0
Control Type	Rotary Electronic Knobs
Wash/Spin Speed Combinations	2 Tumble/ 8 Spin
Built-In Heater	Internal (140° F)
Motor	Variable
Circuit Breaker or Time Delay Fuse	15 or 20 Amp
Volts @ 60 Hz.	120
ENERGY STAR® Qualified	Yes
Washer Controls	
Normal Cycles	Yes
Heavy Soil (heater)	Yes
Whites	Yes
Normal	Yes
Colors	Yes
Casual/Permanent Press Cycles	Yes
Synthetic Cycles	Yes
Heavy Soil (heater)	Yes
Normal	Yes
Colors	Yes
Delicate Cycles	Yes
Handwash	Yes
Prewash	Yes
Quick Wash	Yes
Extra Rinse	Yes
Spin Only	Yes
Convenience	
Bleach Dispenser	Yes
Detergent Dispenser	Yes
Prewash Detergent Dispenser	Yes
Rinse/Spin	Yes
End-of-Cycle Signal	Yes
Wash/Rinse Temperatures	4
Water Levels	Automatic
General Information	
Wash Basket	Stainless Steel
Dimensions (H–W–D)	32 9/10 x 23 3/8 x 20 1/10



24" Compact Dryer

Model No.	WED7500V
Capacity (cu. ft.)	3.8
Control Type	Rotary Electronic Knobs
Motor	Variable
Circuit Breaker or Time Delay Fuse	15 or 20 Amp
Volts @ 60 Hz.	240
Dryer Controls	
Cycles	11
Regular	Yes
More Dry	Yes
Normal Dry	Yes
Less Dry	Yes
Damp Dry	Yes
Synthetic	Yes
More Dry	Yes
Normal Dry	Yes
Less Dry	Yes
Damp Dry	Yes
Timed Dry	Yes
60 Minute	Yes
40 Minute	Yes
20 Minute	Yes
Convenience	
End-of-Cycle Signal	Yes
Moisture Sensor Control	Yes — Sensor Baffles
Drying Temperatures	2—Normal, Low
Stack Kit Included	W10178021A
General Information	
Electric Heating Element (watts)†	2500
Long Vent Exhaust System	Yes/Rear
Approx. Shipping Weight (lbs.)	88
Drum	Stainless Steel
Dimensions (H–W–D)	33 1/4 x 23 3/8 x 23 1/4

† Electric requirements for electric dryer models 240V, 3-Wire, 60 Hz, AC, Standard 30-Amp Fuse Branch Circuit (subject to local codes).



Amana

Ranges

Good ★

AER3311WA
- 4.8 Cu. Ft. Oven Capacity
- Two Adjustable Oven Racks
- In-oven Broiler
- Storage Drawer
- Spillsaver™ Upswept Cooktop
- Porcelain-Steel Cooking Surface
- Element On/Hot Surface Indicator Light
- (3) 6", 1,250-watt & (1) 8", 2,100-Watt Coil Elements With Chrome Drip Bowls
- Available in White(W) and Bisque(Q)

AGR3311WD*
- 4.4 Cu. Ft. Capacity
- Standard-Clean Oven
- Electronic Ignition
- ADA-Compliant Front Controls
- 4 9,500 BTU Sealed Gas Burners
- Wire Steel Grates
- Drop-Down Broiler with Pan
- Spillsaver™ Upswept Cooktop
- Towel Bar Door Handle
- Available in White(W) and Bisque(Q)

Better ★★

AER5523XA
- 4.8 Cu. Ft. Oven Capacity
- Self-Clean Oven
- (2) 6", 1,500-Watt & (2) 8", 2,600-Watt Coil Elements with Chrome Drip Bowls
- Easy Touch Electronic Oven Controls
- Temp Assure™ Cooking System
- Towel Bar Door Handle
- In-Oven Broiler
- Custom Broil
- Electronic Clock With Timer
- Spillsaver™ Upswept Cooktop
- Porcelain-Steel Cooking Surface
- Control Lockout
- Available in White(W), Bisque(Q), Black(B) and Silver(D)

AGR4433XD
- 4.4 Cu. Ft. Gas Range
- Easy Touch Electronic Oven Controls
- Extra-Large Oven Window
- Spillsaver™ Upswept Cooktop Design
- TempAssure™ Electronic Temperature Management System
- Storage Drawer
- Electronic Clock with Timer
- Towel Bar Door Handle
- Interior Oven Light
- Available in White(W), Black(B) and Stainless Steel(S)

Best ★★★

AER5844VA
- 4.8 Cu. Ft. Oven Capacity
- Adjustable Self-Cleaning Oven
- Temp Assure™ Cooking System
- Glass-Ceramic Spillsaver™ Cooktop
- Extra-Large Oven Window
- Keep Warm™ Setting
- Delay-Bake Oven Control
- In-Oven Broiler
- Storage Drawer
- Control Lockout
- (2) 6", 1,200-Watt, (1) 9", 2,500-Watt & (1) Dual 6/9", 1,200/2,500-Watt Radiant Elements
- Available in White(W), Black(B), Silver(D) and Stainless Steel(S)

AGR5844VD
- 5.0 Cu. Ft. Oven Capacity
- High/Low Self-Cleaning Oven
- Temp Assure™ Cooking System
- Easy Touch Electronic Oven Controls
- Towel Bar Door Handle
- Extra-Large Oven Window
- In-Oven Broiler
- Storage Drawer
- (1) 5,000 BTU, (2) 9,500 BTU & (1) 12,500 BTU Sealed Burners With Stamped-Steel Grates
- Available in White(W), Black(B), Silver(D) and Stainless Steel(S)

Hoods/Microwave Hoods

Good ★

UXT4030AY
- Sleek Modern Design with Hidden Vents
- Dishwasher Safe Aluminum Mesh Grease Filter
- 75 Watt Incandescent Surface Light With 1 Light Level
- Axial Fan
- 2 Speed Settings
- Available in White(W), Biscuit(T), Black(B), and Stainless Steel(S)

Better ★★

AMV1150VA
- 1.5 Cu. Ft. Cooking Capacity
- 1,000 Watts Cooking Power
- Contemporary Styling with a Hidden Vent
- Scrolling Word Prompt Display
- Cooktop Surface Light with Timer Delay
- Available in White(W), Biscuit(T), Black(B), Stainless Steel(S) Universal Silver(D), Bisque(Q), Stainless Steel(S)

Best ★★★

AMV2174VA
- 1.7 Cu. Ft. Cooking Capacity
- 1,000 Watts Cooking Power
- 1 Sensor Cook & 3 Sensor Reheat Options
- Extra-Large, On/Off Microwave Turntable
- 10 Power Levels
- 3 Program Cooking Stages
- Scrolling Word Prompt Display
- Wire Rack
- 24-Hour Digital Clock with Timer
- Cooktop Surface Light with Timer Delay
- Auto Rapid Defrost
- Auto Cook Options
- Auto Reheat
- Charcoal Odor Filter with Filter Change Indicator
- 3 Speed Fan
- 220 CFM Exhaust
- Available in White(W), Black(B) and Stainless Steel(S)

Alternate Model

UXT2030AY
- Sleek Modern Design
- Up to 190 CFM Ventilation System (Vented Only)
- 4.5 Sones
- Dishwasher Safe Aluminum Mesh Grease Filter
- 75 Watt Incandescent Surface Light With 1 Light Level
- Available in White(W) and Black(B)

Amana®

Dishwashers

Good ★

ADB1000AW
- ENERGY STAR® Qualified
- Standard Tub Interior
- 2-Level Tower Wash System
- Vinyl Racks
- Standard In-the-Rack Silverware Basket
- Heavy Wash Cycle
- Normal Wash Cycle
- Plate Warm Cycle
- Rinse Only Cycle
- Pots And Pans Cycle
- Heated Dry Option
- Available in White(W), Black(B), Bisque(Q) and Universal Silver(D)

Better ★★

ADB1400AW
- ENERGY STAR® Qualified
- Tall tub interior
- Antimicrobial Component Protection in Silverware Baskets
- Cleanplate™ Wash System
- Twice as Nice™ In-Rack Silverware Baskets
- Terrific Top Rack with 2 Cup Shelves and 4 Light Item Clips
- 3 Cycles and 4 Options
- Electronic Controls
- 4-Hour Delay Start Option
- 1-Hour Wash Cycle
- Control Lockout Option

Available in White(W), Bisque(Q), Black(B) Universal Silver(D) and Stainless Steel(S)

Best ★★★

ADB1600AW
- ENERGY STAR® Qualified
- Tall Tub Interior
- Antimicrobial Component Protection
- Twice as Nice™ Silverware Baskets
- CleanPlate Wash System
- Electronic Console
- Options include High Temperature Wash, Delay Start, Heated Dry and Control Lockout
- Soil Sensor
- Cycles include Heavy Wash, Quick Wash and Normal Wash
- Rinse Aid Dispenser with Indicator
- SofSound™ I Sound Package
- Small Item Clips (2)
- Available in White(W), Black(B) Universal Silver(D) and Stainless Steel(S)

Disposers

Good ★

WHIRLPOOL® GC1000PE
- ⅓ HP Motor
- Continuous-Feed Operation
- Galvanized Steel Food Grinder
- Attached Power Cord

Better ★★

WHIRLPOOL® GC2000PE
- ½ HP Motor
- Continuous-Feed Operation
- Galvanized Steel Food Grinder
- Attached Power Cord

Best ★★★

WHIRLPOOL® GC5000XE
- ¾ HP Motor
- Continuous-Feed Operation
- Stainless Steel Food Grinder
- High Polished Sink Flange

Alternate Models

WHIRLPOOL® GC1000XE
- ⅓ HP Motor
- Continuous-Feed Operation
- Galvanized Steel Food Grinder

WHIRLPOOL® GC2000XE
- ½ HP Motor
- Continuous-Feed Operation
- Galvanized Steel Food Grinder

Amana

Refrigerators

Good ★

A6TXNWFX
- 15.9 Cu. Ft. Capacity
- Up-Front Temperature Controls
- Reversible-Swing Doors
- 2 Adjustable, Full-Width Wire Refrigerator Shelves
- 1 Full-Width Crisper
- 2 Full-Width, 1 Half-Width Refrigerator Door Shelves
- Deli Drawer
- 2 Full-Width Freezer Door Shelves
- 1 Half-Width, Wire Freezer Shelf
- Available in White(W), Bisque(Q) and Black(B)

Better ★★

A8TXNWFX
- 17.6 Cu. Ft. Capacity
- Up-Front Temperature Controls
- Reversible-Swing Doors
- 2 Adjustable, Full-Width Wire Refrigerator Shelves
- 2 Half-Width Crispers
- 2 Full-Width, 1 Half-Width Refrigerator Door Shelves
- 2 Full-Width Freezer Door Shelves
- 1 Half-Width, Wire Freezer Shelf
- Available in White(W), Bisque(Q) and Black(B)

Best ★★★

ASD2522WR
- 25.4 Cu. Ft. Capacity
- Cubed/Crushed Ice and Water Dispenser with 6-Month Water Filter
- 3 Full-Width Adjustable Spill Prevent Glass Shelves
- Full-Width Clear Crisper and Meat Pan
- 3 Adjustable White Gallon Door Bins
- 3 Full-Width Removable Wire Freezer Shelves
- 1 Pull-Out Freezer Bin
- Available in White(W), Black(B), Silver(D) and Stainless Steel(S)

A8RXNGMW
- 17.5 Cu. Ft. of Capacity
- Contoured Doors
- Up-Front Temperature Control System
- Interior Light
- 2 Full-Width Adjustable Spillsaver™ Glass Shelves
- 2 Garden Fresh™ Crisper Drawers
- 2 Full-Width, 1 Half-Width Fixed Door Shelves
- Gallon Door Storage
- Deli Drawer
- Dairy Center
- Wire Freezer Shelf
- 2 Fixed, Full-Width Freezer Door Shelves
- Factory-Installed Ice Maker
- Available in Black(B), Bisque(E), Green Tea(G), Red(H), Navy(N), and Stainless Steel(S)

Alternate Models

A4TXNWFW
- 14.4 Cu. Ft. Capacity
- Up-Front Temperature Controls
- Reversible-Swing Doors
- 2 Adjustable, Full-Width Wire Refrigerator Shelves
- 2 Half-Width Crispers
- 2 Full-Width, 1 Half-Width Refrigerator Door Shelves
- 2 Full-Width Freezer Door Shelves
- 1 Half-Width, Wire
- Available in White(W) and Bisque(Q)

A8RXNGFX
- 17.5 Cu. Ft. of Capacity
- Contoured Doors
- Up-Front Temperature Control System
- Interior Light
- 2 Full-Width Adjustable Spillsaver™ Glass Shelves
- 2 Garden Fresh™ Crisper Drawers
- 2 Full-Width, 1 Half-Width Fixed Door Shelves
- Gallon Door Storage
- Deli Drawer
- Dairy Center
- Wire Freezer Shelf
- Optional Ice Maker Available
- 2 Fixed, Full-Width Freezer Door Shelves
- Available in Universal Silver(D)

Laundry

Good ★

ETW4400X
- 3.1 Cu. Ft. Capacity
- 8 Cycles
- 3 Selectable Water Levels
- 4 Wash/Rinse Temperature Combinations
- 2 Wash/Spin Speed Combinations
- Available in White-on-White(Q)

EED4400W—Electric Dryer
EGD4400W—Gas Dryer
- 6.5 Cu. Ft. Super Capacity Drum
- 5 Automatic Cycles
- 3 Temperature Settings
- Auto Sense Dry System
- 60 Minute Time Dry
- Large Reversible Side-Swing Door Available in White-on-White(Q)

Options

WET3300X—(27" ELECTRIC)
WGT3300X—(27" GAS)

Washer
- 2.6 Cu. Ft. Capacity Wash Basket
- Double Duty Surgilator® Agitator
- 8 Automatic Cycles
- 4 Wash/Rinse Temperature Combinations
- White Porcelain Basket more
- Stepped-Down Agitation more
- 3 Wash/Spin Speed Combinations
- 4 Water Level Selections
- Fabric Softener Dispenser more
- Bleach Dispenser more
- Self-Cleaning Lint Filter
- ToughTop II™ Top and Lid Finish

Dryer
- 5.9 Cu. Ft. Extra-Large Capacity
- AutoDry™ Drying System
- 6 Cycles
- Tumble Press® Cycle more
- 3 Temperature Selections
- Side-Swing Door
- DuraWhite™ Interior
- 4-Way Venting Option
- Available in White(Q)

LTE5243D (24" ELECTRIC)
LTG5243D (24" GAS)
WASHER
- 1.5 Cu. Ft. Capacity
- 5 Automatic Cycles
- Surgilator® Agitator
- Gentle Wash System
- 4 Wash/Spin Speed Combinations
- 3 Water Levels
- 4 Temperature Settings
- Spreckle Porcelain-Coated Wash Basket

DRYER
- 3.4 Cu. Ft. Capacity
- 5 Automatic Cycles
- Gentle Heat System
- 4 Temperature Settings
- End-of-Cycle Signal
- DuraWhite™ Interior
- Available in White(Q)

WASHER WFC7500V*
- 2.0 Cu. Ft. Capacity
- ENERGY STAR® Qualified
- Internal Water Heater
- Stainless Steel Wash Basket
- 11 Cycles
- Up to 1,200 RPM Maximum Spin Speed
- 4 Temperature Selections
- End-of-Cycle Signal
- Automatic Water Levels
- Triple Dispenser for Detergent, Fabric Softener and Bleach
- Flexible Installation — Under a Standard Counter Top, Freestanding or Stacked
- Available in White(W)

ELECTRIC DRYER WED7500V*
- 3.8 Cu. Ft. Capacity
- 11 Cycles Including Regular, Synthetics and Timed Dry
- Moisture Sensor Control
- 2 Temperature Selections
- End-of-Cycle Signal
- Long-Vent Exhaust System
- Electric Only
- Door Window
- Available in White(W)

Product Specifications

Electric Ceramic-Glass Cooktop Freestanding Ranges

	AER5844VA
Oven Capacity (cu. ft.)	4.8
Self-Cleaning Oven	Adjustable
Temp Assure™ Cooking System	Yes
Oven	
Oven Controls	Easy Touch Electronic
Towel Bar Door Handle	Yes
Oven Window	Extra-Large
Interior Oven Light	Automatic
Oven Racks	2
Oven Rack Positions	5
Storage Drawer	Yes
In-Oven Broiler	Yes
Delay-Bake Oven Control	Yes
Electronic Clock with Timer	Yes
Keep Warm™ Setting	Yes
Control Lockout	Yes
Custom Broil	Yes
Cooktop	
Spillsaver™ Upswept Cooktop Design	Yes
Cooking Surface	Glass-Ceramic
6" 1,200-Watt Radiant Element	2
9", 2,500-Watt Radiant Element	1
Dual 6"/9" Radiant Element	1
Element On/Hot Surface Indicator Light	Yes
Dimensions (H x W x D)	46 7/8" x 29 7/8" x 25"



Electric Porcelain-On-Steel Cooktop Freestanding Ranges

	AER3311WA	AER5523XA
Oven Capacity (cu. ft.)	4.8	4.8
Self-Cleaning Oven	—	High/Low
Temp Assure™ Cooking System	Yes	Yes
Oven		
Oven Controls	Knob	Easy Touch Electronic
Towel Bar Door Handle	—	Yes
Oven Window	—	Extra-Large
Interior Oven Light	—	Automatic
Oven Racks	2	2
Oven Rack Positions	5	5
Storage Drawer	Yes	Yes
In-Oven Broiler	Yes	Yes
Sabbath Mode	—	Yes
Electronic Clock with Timer	—	Yes
Control Lockout	—	Yes
Custom Broil	—	Yes
Cooktop		
Spillsaver™ Upswept Cooktop Design	Yes	Yes
Cooking Surface	Porcelain-Steel	Porcelain-Steel
6" 1,250-Watt Coil Element	3	—
6" 1,500-Watt Coil Element	—	2
8" 2,100-Watt Coil Element	1	—
8" 2,600-Watt Coil Element	—	2
Chrome Drip Bowls	Yes	Yes
Element On/Hot Surface Indicator Light	Yes	Yes
Dimensions (H x W x D)	46 7/8" x 29 7/8" x 27 11/16"	46 7/8" x 29 7/8" x 27 11/16"



Gas Freestanding Ranges

	AGR3311WD	AGR4433XD	AGR5844VD
Oven			
Oven Capacity (cu. ft.)	4.4	4.4	5.0
Self-Cleaning Oven	—	High/Low	High/Low
Temp Assure™ Cooking System	Yes	Yes	Yes
Oven Controls	ADA-Compliant Front Knob	Easy Touch Electronic	Easy Touch Electronic
Towel Bar Door Handle	Yes	Yes	Yes
Oven Window	—	Extra-Large	Extra-Large
Interior Oven Light	—	Yes	Yes
Oven Racks	2	2	2
Oven Rack Positions	5	5	5
Storage Drawer	—	Yes	Yes
Broiler Type	Drop-Down with Broiler Pan	In-Oven	In-Oven
Cooktop			
Electronic Clock with Timer	—	Yes	Yes
Spillsaver™ Upswept Cooktop Design	Yes	Yes	Yes
5,000 BTU Sealed Burners	—	—	1
9,500 BTU Sealed Burners	4	3	2
11,500 BTU Sealed Burners	—	1	—
12,500 BTU Sealed Burners	—	—	1
Porcelain-Steel Cooktop Surface	Yes	Yes	Yes
Burner Grates	Wire Steel	Wire Steel	Stamped Steel Grates
Dimensions (H x W x D)	46 1/4" x 29 7/8" x 24 1/2"	46 1/4" x 29 7/8" x 26 3/4"	46 1/4" x 29 7/8" x 26 3/4"



Product Specifications

Vent Hoods

	UXT4030AY	UXT2030AY
Type	Non-Vented	Vented
Duct Type 7" Round	—	Yes
Washable Grease Filter	Yes	Yes
Vertical CFM/7" Round	—	190
Vertical Sones/ 7" Round	—	6.0
Control	2-Speed Rocker Switch	2-Speed Rocker Switch
Damper	—	Optional
Blower	Axial Fan	Axial Fan
Light††	1-Level Incandescent	1-Level Incandescent
Approx. Shipping Weight (lbs.)	11	12
Dimensions (H–D)	6" x 17 ½"	6" x 17 ½"

UXT4030AA (30")



UXT2030AA (30")



Microwave Hoods

	AMV1150VA	AMV2174VA
Capacity (cu. ft.)	1.5	1.7
1,000 Watts	Yes	Yes
Turntable	Yes	On/Off
Scrolling Word Prompt Display	Yes	Yes
Digital Clock with Timer	12-Hour	24-Hour
Cooktop Surface Light with Timer Delay	Yes	High/Low/Off
Control Lockout	Yes	Yes
Cooking Complete Reminder	Yes	Yes
10 Power Levels	Yes	Yes
Sensor Cooking	—	Yes
Program Cooking Stages	2	2
Defrost Modes	Auto	Auto
Auto Cook Options	3	6
Auto Reheat Options	5	5
Vent Fan	2-Speed	2-Speed
Exhaust (Max.)	220 CFM	220 CFM
Dimensions (H x W x D)	17¼" x 29 15/16" x 15⅜"	17¼" x 29 15/16" x 17¼"



Dishwashers

	ADB1000AW
ENERGY STAR® Qualified	Yes
Standard Tub Interior	Standard
Wash System	2-Level Tower
Vinyl Racks	Yes
Silverware Basket	Standard In-the-Rack
Cycles	5
Heavy Wash	Yes
Normal Wash	Yes
Plate Warm	Yes
Rinse Only	Yes
Pots and Pans	Yes
One Hour Wash	—
Quick Wash	—
Options	1
Heated Dry	Yes
High Temperature Wash	—
2-, 4- or 6-Hour Delay Start	—
Control Lockout	—
Rinse Aid Dispenser	Yes
Built-In Hard Food Disposer	—
Electronic Controls	—
SofSound™ I Sound Package	—
Low Rinse Aid Indicator	Yes
Dimensions (H x W x D)	34½" x 23⅞" x 24½"



Amana®

Product Specifications

Top Mount Freezer Refrigerators

	A6TXNWFX	A8TXNWFX	A8RXNGFX	A8RXNGMW	A4TXNWFW	ADB1400AW	ADB1600AW
Capacity (cu. ft.)	15.9	17.6	17.6	17.5	14.4	Yes	Yes
Reversible-Swing Door Style	Flat with Standard Handles	Flat with Standard Handles	Contoured with Integrated Handles	Contoured with Integrated Handles	Flat with Standard Handles	Tall	Tall
Up-Front Temperature Control	Yes	Yes	Yes	Yes	Yes	3-Level Tower, CleanPlate™	3-Level Tower, CleanPlate™
Refrigerator							
Adjustable Shelves	2 Full-Width Wire	2 Full-Width Wire	2 Full-Width Spillsaver™ Glass	2 Full-Width Spillsaver™ Glass	2 Full-Width Wire	Yes	Yes
Crisper Drawers	1 Full-Width	2 Half-Width	2 Full-Width Humidity-Controlled Garden Fresh™	1 Full-Width Humidity-Controlled Garden Fresh™	2 Half-Width	Twice as Nice™ with Covers	Twice as Nice™ with Covers
Fixed Door Shelves	2 Full-Width 1 Half-Width	2 Full-Width 1 Half-Width	2 Full-Width 1 Half-Width	2 Full-Width 1 Half-Width	2 Full-Width 1 Half-Width	3	3
Gallon Door Storage	—	—	Yes	Yes	—	Yes	Yes
Clear Deli Drawer	Yes	Yes	Yes	Yes	—	Yes	Yes
Dairy Center	Yes	Yes	Yes	Yes	Yes	—	—
Interior Light	Yes	Yes	Yes	Yes	Yes	—	—
Freezer						—	—
Freezer Shelf	1 Half-Width Wire	1 Half-Width Wire	2 Full-Width Freezer Door/ 1 Full-Width Wire	2 Full-Width Freezer Door/ 1 Full-Width Wire	1 Half-Width Wire	Yes	Yes
Full-Width Freezer Door Shelves	2	2	2	2	2	4	4
Automatic Ice Maker	Optional Kit ECKMF94	Optional Kit ECKMF94	Optional Kit ECKMF94	Factory Installed	Optional Kit ECKMF94	Yes	Yes
Dimensions (H x W x D)	65 ¾" x 28" x 32 ⅞"	65 ¾" x 28" x 32 ⅞"	68" x 28" x 31 ⅜"	68" x 28" x 30 ⅛"	62 ¾" x 28" x 31 ½"	Yes	Yes
						4-Hour	2/4/6-Hour
						Yes	Yes
						—	—
						Yes	Yes
						Yes	Yes
						Yes	Yes
						Yes	Yes
						34 ½" x 23 ⅞" x 24 ½"	34 ½" x 23 ⅞" x 24 ½"



Product Specifications

Side by Side Refrigerator

	ASD2522WR
Capacity (cu. ft.)	25.1
Total Shelf Area (sq. ft.)	21.5
ENERGY STAR® Qualified	CEE Tier I*
Temp Assure™ Freshness Controls	Dial
Ice and Water Dispenser with PUR® Filter	Standard
Replacement Water Filter (Sold Separately)	4396841
Filter Status Indicator	Yes
Control Lockout	Yes
Auto Night Light	
Refrigerator	
Refrigerator Capacity (cu. ft.)	15.2
Crisper Drawer	Yes
Deli Drawer	Yes
Spillsaver™ Glass Shelves	3
Adjustable Door Bins	3 White
Gallon Door Storage	Yes
Dairy Center	Yes
Freezer	
Freezer Capacity (cu. ft.)	9.9
Wire Freezer Shelves	3
Plastic Freezer Shelf	Yes
Slide-Out, Plastic Freezer Basket	Yes
Fixed Door Bins	4
Door Style	Flat
Dimensions (H x W x D)	69¾" x 35½" x 33¾"

* The CEE Tier system is based on the Consortium for Energy Efficiency qualified product listings.



Top Load Washer

	ETW4400X
Capacity (cu. ft.)	3.1 Super
Wash/Spin Speed Combinations	2
Cycles	8
Wash Temperatures	4
Water Levels	3
1-Speed Motor	Yes
Normal/Extra-Heavy Cycle	Yes
Normal/Heavy Cycle	Yes
Normal/Regular Cycle	Yes
Normal/Light Cycle	Yes
Permanent Press/Regular Cycle	Yes
Permanent Press/Light Cycle	Yes
Delicate/Regular Cycle	Yes
Delicate/Light Cycle	Yes
Spreckle Porcelain Wash Basket	Yes
Powdercoated Steel Top	Yes
Double Action Agitator	Yes
Bleach Dispenser	Yes
Dimensions (H–W–D)	41 ½ x 27 x 25 ½



Dryer

Electric Model No.	EGD4400W
Gas Model No.	**EED4400W**
Capacity (cu. ft.)	6.5 Super
Cycles	5
Automatic Dry/High Heat	Yes
Automatic Dry/Low Heat	Yes
Timed/High Heat	Yes
No Heat/Fluff	Yes
Temperatures	3
Door Style	Wide-Opening Side-Swing
Dimensions (H–W–D)	42 ½ x 29 x 27 ¾*



Product Specifications

27" Thin Twin® Washer

Model No.	WET3300X WGT3300X
Wash System	
Capacity (cu. ft.)	2.6
Motor Speed	2
Gentle Wash System	Yes
Agitator	Double Duty
Lint Filter	Yes
Washer Controls	
Automatic Cycles	8
Super Wash	Yes
Regular/Heavy	Yes
Permanent Press	Yes
Delicate	Yes
Soak	Yes
Prewash	Yes
Wash/Rinse Temperatures	4
Water Levels	4
Convenience	
Fabric Softener Dispenser	Pt. #3350834
Wash Basket	White Porcelain
ToughTop II™ Top & Lid	Yes
General Information	
Direct Drive Motor (hp)	½
Transition Panel	Yes
Self-Leveling Rear Legs	Yes
Tripod 3-Point Suspension	Yes
Polypropylene Tub	Yes
Corrugated Drain Hose	Yes
Rip Cord Suspension	Yes
Front Serviceability	Yes
Overall Dimensions (H–W–D)	71 5/8 x 27 x 32

27" Thin Twin® Dryer

Model No.	WET3300X	WGT3300X
Drying System		
Drum Volume (cu. ft.)	5.9	5.9
Dry-Miser™ Control	Automatic	Automatic
Gentle Heat System	Yes	Yes
Lint Screen	Front Mounted	Front Mounted
Dryer Controls		
Temperature Settings	3	3
Automatic Cycles	6	6
Auto Perm. Press/Heavy (high heat)	Yes	Yes
Auto Delicate (low heat)	Yes	Yes
Timed Drying	Yes	Yes
Tumble Press®	Yes	Yes
Damp Dry	Yes	Yes
Fluff Air	Yes	Yes
Push-to-Start Button	Yes	Yes
End-of-Cycle Signal	Yes	Yes
General Information		
4-Way Venting	Yes	Yes
Electrical Requirements	240V/208V	120V
Electric Heating Element (watts)	4600/3460	—
Gas Burner (BTU)	—	16,000
180° Side-Swing Door	Yes	Yes
Baked Acrylic Enamel Cabinet Finish	Yes	Yes
DuraWhite™ Drum Finish	Yes	Yes
Variator Baffles	Yes	Yes
Approx. Shipping Weight (lbs.)	310	340



24" Thin Twin® Washer

Model No.	LTE5243D LTG5243D
Wash System	
Capacity (cu. ft.)	1.5
Motor Speed	2
Gentle Wash System	Yes
Agitator	1-Piece
Lint Filter	Easy-to-Clean
Washer Controls	
Automatic Cycles	5
Super Wash	Yes
Regular/Heavy	Yes
Permanent Press	Yes
Delicate	Yes
Prewash	Yes
Wash/Rinse Temperatures	4
Water Levels	3
Convenience	
Wash Basket	Spreckle Porcelain
ToughTop II™ Top & Lid	Yes
General Information	
Direct Drive Motor (hp)	½
Transition Panel	Yes
Self-Leveling Rear Legs	Yes
Tripod 3-Point Suspension	Yes
Polypropylene Tub	Yes
Corrugated Drain Hose	Yes
Rip Cord Suspension	Yes
Front Serviceability	Yes
Overall Dimensions (H–W–D)	71 3/4 x 23 7/8 x 27 1/4

Amana®

Product Specifications

24" Thin Twin® Dryer

Model No.	LTE5243D	LTG5243D
Drying System		
Drum Volume (cu. ft.)	3.4	3.4
Dry-Miser™ Control	Automatic	Automatic
Gentle Heat System	Yes	Yes
Lint Screen	Front Mounted	Front Mounted
Dryer Controls		
Temperature Settings	4	4
Automatic Cycles	5	5
Auto Delicate (low heat)	Yes	Yes
Timed Drying	Yes	Yes
Tumble Press®	Yes	Yes
Fluff Air	Yes	Yes
Push-to-Start Button	Yes	Yes
End-of-Cycle Signal	Yes	Yes
General Information		
4-Way Venting	Yes	Yes
Electrical Requirements	240V/208V	120V
Electric Heating Element (watts)	3600	—
Gas Burner (BTU)	—	10,500
180° Side-Swing Door	Yes	Yes
Baked Acrylic Enamel Cabinet Finish	Yes	Yes
DuraWhite™ Drum Finish	Yes	Yes
Variator Baffles	Yes	Yes
Approx. Shipping Weight (lbs.)	276	280



24" Compact Washer

Model No.	WFC7500V 1200 RPM
Capacity (cu. ft.)	2.0
Control Type	Rotary Electronic Knobs
Wash/Spin Speed Combinations	2 Tumble/ 8 Spin
Built-In Heater	Internal (140° F)
Motor	Variable
Circuit Breaker or Time Delay Fuse	15 or 20 Amp
Volts @ 60 Hz.	120
ENERGY STAR® Qualified	Yes
Washer Controls	
Normal Cycles	Yes
Heavy Soil (heater)	Yes
Whites	Yes
Normal	Yes
Colors	Yes
Casual/Permanent Press Cycles	Yes
Synthetic Cycles	Yes
Heavy Soil (heater)	Yes
Normal	Yes
Colors	Yes
Delicate Cycles	Yes
Handwash	Yes
Prewash	Yes
Quick Wash	Yes
Extra Rinse	Yes
Spin Only	Yes
Convenience	
Bleach Dispenser	Yes
Detergent Dispenser	Yes
Prewash Detergent Dispenser	Yes
Rinse/Spin	Yes
End-of-Cycle Signal	Yes
Wash/Rinse Temperatures	4
Water Levels	Automatic
General Information	
Wash Basket	Stainless Steel
Dimensions (H–W–D)	32 9/10 x 23 3/8 x 20 1/10



24" Compact Dryer

Model No.	WED7500V
Capacity (cu. ft.)	3.8
Control Type	Rotary Electronic Knobs
Motor	Variable
Circuit Breaker or Time Delay Fuse	15 or 20 Amp
Volts @ 60 Hz.	240
Dryer Controls	
Cycles	11
Regular	Yes
More Dry	Yes
Normal Dry	Yes
Less Dry	Yes
Damp Dry	Yes
Synthetic	Yes
More Dry	Yes
Normal Dry	Yes
Less Dry	Yes
Damp Dry	Yes
Timed Dry	Yes
60 Minute	Yes
40 Minute	Yes
20 Minute	Yes
Convenience	
End-of-Cycle Signal	Yes
Moisture Sensor Control	Yes — Sensor Baffles
Drying Temperatures	2—Normal, Low
Stack Kit Included	W10178021A
General Information	
Electric Heating Element (watts)†	2500
Long Vent Exhaust System	Yes/Rear
Approx. Shipping Weight (lbs.)	88
Drum	Stainless Steel
Dimensions (H–W–D)	33 1/4 x 23 3/8 x 23 1/4

† Electric requirements for electric dryer models 240V, 3-Wire, 60 Hz, AC, Standard 30-Amp Fuse Branch Circuit (subject to local codes).



Notes

Notes

Notes

Quality and Value...
Your Keys to Customer Satisfaction

Performance and Convenience Features

Whirlpool® appliances offer a great mix of convenience and performance – and place a premium on energy efficiency and operating economy.

Consumer Product Warranties

All Whirlpool® appliances uphold their solid reputation for quality with one-year FULL manufacturer's warranties; many offer generous LIMITED manufacturer's warranties – which mean additional cost savings for you. Visit our web site (below) for complete Whirlpool® appliance warranty details.

Whirlpool® HOME APPLIANCES

For more information about Whirlpool® appliances, visit our web site at: www.insideadvantage.com

Whirlpool Corporation has a policy of continuous improvement of products and reserves the right to make improvements or changes on products without notice.

®Registered Trademark/™Trademark of Whirlpool, U.S.A. ©2011 Whirlpool Corporation
Benton Harbor, Michigan 49022. Printed in U.S.A. 2011
AA105063 WX110158-CON